



HANSGRONHI

**SHINOHARA**  
1919

# 79 SERIES

**79cm presses**

79IVH four colour • 79IVHP four colour perfector  
 79VH five colour • 79VHP five colour perfector  
 79VIH six colour • 79VIHP six colour perfector

With high pile delivery

Running Speed	4,000 - 15,200 SPH
Max Sheet Size	(Single-sided) 600 x 790 mm (Perfecting) 585 x 790 mm
Min Sheet Size	(Single-sided) 200 x 296 mm (Perfecting) 300 x 400 mm
Max Printing Area	(Single-sided) 585 x 780 mm (Perfecting) 565 x 780 mm
Plate Size	645 x 794 mm
Stock range	0.04 to 0.4 mm
Feeder Pile Height	900 mm
Delivery Pile Height	730mm
Blanket Size (W x L x T)	780 x 805 x 1.95 mm
Inking Roller	21 per unit
Dampening System	Continuous Dampening System
Dampening Roller	5 per unit
Feeder System	Stream Feeder
Delivery system	7 Gripper Bars with High-Pile Delivery

**Printers Superstore**

Unit 2, Latchmore Industrial Park,  
 Lowfields Road, Leeds LS12 6DN, UK  
 Tel. (+44) 0 113 208 8505 Fax: (+44) 0 113 208 8400  
 www.printers-superstore.com  
 sales@printers-superstore.com

E&OE

	92 <sub>H</sub>	79 <sub>H</sub>	75 <sub>H</sub>	66 <sub>H</sub>	52
Feeder Pile Paper Preloading Device	●	●	●	●	●
Mechanical Double Sheet Detector	●	●	●	●	●
Electrical Double Sheet Detector	●	●	●	●	○
On-the-Run Feeder Timing Adjustment	●	●	●	●	●
Impression On/Off Detector	●	●	●	●	●
Overrun Sheet Detector	●	●	●	●	●
Side Guide Paper Detector	●	●	●	●	○
Antistatic Blower on Feeder Head	○	○	○	○	○
Remote Controlled Ink Key Adjustment	●	●	●	●	●
Dampening Fountain Roller Speed Remote Control System	●	●	●	●	●
Free Standing Dampening Cooling/Circulating Unit	●	●	●	●	●
Continuous Dampening System	●	●	●	●	●
Segmented Ink Fountain Blade	●	●	●	●	●
Ink Roller Wash up Blade/Tray	●	●	●	●	●
Dampening Solution PH Controller	●	●	●	●	●
Automatic Alcohol (IPA)% Controller	●	●	●	●	●
Hickey Picker Device	●	●	●	●	●
Automatic Ink Roller Wash up System	●	●	●	●	○
Oscillating Ink Form chilling Roller	○	○	○	○	
Temperature Controlled Printing System (TCPS)	○	○	○	○	
Oscillating Ink Form Roller (Anti-ghosting Roller)	○	○	○	○	○
Plate Cylinder Lateral/Radial Remote Control Device	●	●	●	●	●
SPC (Shinohara Plate Changer)Semi automatic	●	●	●	●	●
Automatic Blanket Wash up System	●	●	●	●	
Cloth Type Automatic Blanket Wash up System	○	○	○	○	○
Operation Side Impression Adjustment Dial	●	●	●	●	●
Impression Pressure Pre-set System	●	●	●	●	
Anti-Smearing Paper on Transfer Cylinder	●	●	●	●	●
Delivery Missing Sheet Detector	●	●	●	●	●
Plate Clamp Cocking System	●	●	●	●	
Plate Cylinder Cocking System					●
Automatic Impression Cylinder Wash up System	○	○	○	○	
Sheet Decurler	●	●	●	●	●
Static Eliminator	●	●	●	●	●
Spray Powder System	●	●	●	●	
Spray Powder Replenisher					●
Sheet Brake	●	●	●	●	●
Faulty Delivered Sheet Detector	●	●	●	●	●
Tab Inserter	●	○	○	○	○
Nonstop Delivery	●	●	●	●	
Swing-away Unit (Imprinting and Numbering)					○
Radial Perforating Device					○
Longer Delivery	○	○	○	○	
Aqueous Inline Coater	○	○	○	○	
UV & Aqueous Inline Coater	○	○	○	○	
Infrared Dryer Device	○	○	○	○	○
UV Curing Device	○	○	○	○	
Interdeck UV Curing Device	○	○	○	○	
POD Touch Screen	●	●	●	●	●
Total Counter	●	●	●	●	●
Preset Sheet Counter	●	●	●	●	●
Plate Puncher	○	○	○	○	○
Paper Size Pre-set System	●	○	○	○	
Operation Console	●	●	●	●	●
Shinohara CIP3 Station	●	●	●	●	●
Shinohara Pre-Inking System (SPIS)	●	●	●	●	●
Shinohara Color Control Station(SCCS)	○	○	○	○	○

● Standard ○ Option



Unit 2, Latchmore Industrial Park,  
 Lowfields Road, Leeds LS12 6DN, UK  
 Tel (+44) 0 113 208 8505 Fax (+44) 0 113 208 8400  
 www.printers-superstore.com  
 sales@printers-superstore.com

E&OE